
Contents

| | |
|------------------------|-------------|
| Preface | xvii |
| Notation | xxv |
| Acknowledgments | xxx |

BACKGROUND MATERIAL

| | | |
|----------|----------------------------------------------|-----------|
| A | Random Variables | 1 |
| | A.1 Variance of a Random Variable | 1 |
| | A.2 Dependent Random Variables | 3 |
| | A.3 Complex-Valued Random Variables | 4 |
| | A.4 Vector-Valued Random Variables | 6 |
| | A.5 Gaussian Random Vectors | 7 |
| B | Linear Algebra | 12 |
| | B.1 Hermitian and Positive-Definite Matrices | 12 |
| | B.2 Range Spaces and Nullspaces of Matrices | 14 |
| | B.3 Schur Complements | 16 |
| | B.4 Cholesky Factorization | 17 |
| | B.5 QR Decomposition | 19 |
| | B.6 Singular Value Decomposition | 20 |
| | B.7 Kronecker Products | 23 |
| C | Complex Gradients | 25 |
| | C.1 Cauchy-Riemann Conditions | 25 |
| | C.2 Scalar Arguments | 26 |
| | C.3 Vector Arguments | 26 |

PART I: OPTIMAL ESTIMATION

| | | |
|----------|---------------------------------------------|-----------|
| 1 | Scalar-Valued Data | 29 |
| | 1.1 Estimation Without Observations | 29 |
| | 1.2 Estimation Given Dependent Observations | 31 |

| | | |
|-----------------------------------|---------------------------------------------|------------|
| 1.3 | Orthogonality Principle | 36 |
| 1.4 | Gaussian Random Variables | 38 |
| 2 | Vector-Valued Data | 42 |
| 2.1 | Optimal Estimator in the Vector Case | 42 |
| 2.2 | Spherically Invariant Gaussian Variables | 46 |
| 2.3 | Equivalent Optimization Criterion | 49 |
| | Summary and Notes | 51 |
| | Problems and Computer Projects | 54 |
| <hr/> | | |
| PART II: LINEAR ESTIMATION | | |
| <hr/> | | |
| 3 | Normal Equations | 60 |
| 3.1 | Mean-Square Error Criterion | 61 |
| 3.2 | Minimization by Differentiation | 63 |
| 3.3 | Minimization by Completion-of-Squares | 63 |
| 3.4 | Minimization of the Error Covariance Matrix | 65 |
| 3.5 | Optimal Linear Estimator | 66 |
| 4 | Orthogonality Principle | 67 |
| 4.1 | Design Examples | 67 |
| 4.2 | Orthogonality Condition | 72 |
| 4.3 | Existence of Solutions | 74 |
| 4.4 | Nonzero-Mean Variables | 76 |
| 5 | Linear Models | 78 |
| 5.1 | Estimation using Linear Relations | 78 |
| 5.2 | Application: Channel Estimation | 80 |
| 5.3 | Application: Block Data Estimation | 81 |
| 5.4 | Application: Linear Channel Equalization | 82 |
| 5.5 | Application: Multiple-Antenna Receivers | 85 |
| 6 | Constrained Estimation | 87 |
| 6.1 | Minimum-Variance Unbiased Estimation | 88 |
| 6.2 | Example: Mean Estimation | 90 |
| 6.3 | Application: Channel and Noise Estimation | 91 |
| 6.4 | Application: Decision Feedback Equalization | 93 |
| 6.5 | Application: Antenna Beamforming | 101 |
| 7 | Kalman Filter | 104 |
| 7.1 | Innovations Process | 104 |
| 7.2 | State-Space Model | 106 |

| | | |
|---------------------------------------|-----------------------------------|------------|
| 7.3 | Recursion for the State Estimator | 107 |
| 7.4 | Computing the Gain Matrix | 108 |
| 7.5 | Riccati Recursion | 109 |
| 7.6 | Covariance Form | 109 |
| 7.7 | Measurement and Time-Update Form | 110 |
| Summary and Notes | | 111 |
| Problems and Computer Projects | | 115 |

PART III: STOCHASTIC GRADIENT ALGORITHMS

| | | |
|-----------|---------------------------------------------|------------|
| 8 | Steepest-Descent Technique | 139 |
| 8.1 | Linear Estimation Problem | 140 |
| 8.2 | Steepest-Descent Method | 142 |
| 8.3 | More General Cost Functions | 147 |
| 9 | Transient Behavior | 148 |
| 9.1 | Modes of Convergence | 148 |
| 9.2 | Optimal Step-Size | 149 |
| 9.3 | Weight-Error Vector Convergence | 151 |
| 9.4 | Time Constants | 153 |
| 9.5 | Learning Curve | 154 |
| 9.6 | Contour Curves of the Error Surface | 155 |
| 9.7 | Iteration-Dependent Step-Sizes | 157 |
| 9.8 | Newton's Method | 160 |
| 10 | LMS Algorithm | 163 |
| 10.1 | Motivation | 163 |
| 10.2 | Instantaneous Approximation | 165 |
| 10.3 | Computational Cost | 166 |
| 10.4 | Least-Perturbation Property | 167 |
| 10.5 | Application: Adaptive Channel Estimation | 168 |
| 10.6 | Application: Adaptive Channel Equalization | 171 |
| 10.7 | Application: Decision-Feedback Equalization | 172 |
| 10.8 | Ensemble-Average Learning Curves | 174 |
| 11 | Normalized LMS Algorithm | 178 |
| 11.1 | Instantaneous Approximation | 178 |
| 11.2 | Computational Cost | 179 |
| 11.3 | Power Normalization | 180 |
| 11.4 | Least-Perturbation Property | 182 |
| 12 | Other LMS-Type Algorithms | 183 |

| | | |
|-----------------------------------------|----------------------------------------|------------|
| 12.1 | Non-Blind Algorithms | 183 |
| 12.2 | Blind Algorithms | 186 |
| 12.3 | Some Properties | 188 |
| 13 | Affine Projection Algorithm | 191 |
| 13.1 | Instantaneous Approximation | 191 |
| 13.2 | Computational Cost | 193 |
| 13.3 | Least-Perturbation Property | 193 |
| 13.4 | Affine Projection Interpretation | 194 |
| 14 | RLS Algorithm | 198 |
| 14.1 | Instantaneous Approximation | 198 |
| 14.2 | Computational Cost | 200 |
| | Summary and Notes | 202 |
| | Problems and Computer Projects | 209 |
| <hr/> | | |
| PART IV: MEAN-SQUARE PERFORMANCE | | |
| <hr/> | | |
| 15 | Energy Conservation | 228 |
| 15.1 | Performance Measure | 228 |
| 15.2 | Stationary Data Model | 230 |
| 15.3 | Energy Conservation Relation | 234 |
| 15.4 | Variance Relation | 237 |
| 15.A | Interpretations of the Energy Relation | 239 |
| 16 | Performance of LMS | 244 |
| 16.1 | Variance Relation | 244 |
| 16.2 | Small Step-Sizes | 245 |
| 16.3 | Separation Principle | 245 |
| 16.4 | White Gaussian Input | 246 |
| 16.5 | Statement of Results | 249 |
| 16.6 | Simulation Results | 250 |
| 17 | Performance of NLMS | 252 |
| 17.1 | Separation Principle | 252 |
| 17.2 | Simulation Results | 254 |
| 17.A | Relating NLMS to LMS | 254 |
| 18 | Performance of Sign-Error LMS | 257 |
| 18.1 | Real-Valued Data | 257 |
| 18.2 | Complex-Valued Data | 259 |
| 18.3 | Simulation Results | 260 |

| | | |
|-----------|---------------------------------------------|------------|
| 19 | Performance of RLS and Other Filters | 262 |
| 19.1 | Performance of RLS | 262 |
| 19.2 | Performance of Other Filters | 266 |
| 19.3 | Performance Table for Small Step-Sizes | 269 |
| | | |
| 20 | Nonstationary Environments | 270 |
| 20.1 | Motivation | 270 |
| 20.2 | Nonstationary Data Model | 271 |
| 20.3 | Energy Conservation Relation | 276 |
| 20.4 | Variance Relation | 277 |
| | | |
| 21 | Tracking Performance | 280 |
| 21.1 | Performance of LMS | 280 |
| 21.2 | Performance of NLMS | 284 |
| 21.3 | Performance of Sign-Error LMS | 285 |
| 21.4 | Performance of RLS | 287 |
| 21.5 | Comparison of Tracking Performance | 289 |
| 21.6 | Comparing RLS and LMS | 292 |
| 21.7 | Performance of Other Filters | 293 |
| 21.8 | Performance Table for Small Step-Sizes | 295 |
| | Summary and Notes | 296 |
| | Problems and Computer Projects | 304 |

PART V: TRANSIENT PERFORMANCE

| | | |
|-----------|-----------------------------------------|------------|
| 22 | Weighted Energy Conservation | 329 |
| 22.1 | Data Model | 329 |
| 22.2 | Data-Normalized Adaptive Filters | 330 |
| 22.3 | Weighted Energy Conservation Relation | 330 |
| 22.4 | Weighted Variance Relation | 333 |
| | | |
| 23 | LMS with Gaussian Regressors | 340 |
| 23.1 | Mean and Variance Relations | 340 |
| 23.2 | Mean Behavior | 343 |
| 23.3 | Mean-Square Behavior | 343 |
| 23.4 | Mean-Square Stability | 346 |
| 23.5 | Steady-State Performance | 350 |
| 23.6 | Small Step-Size Approximations | 353 |
| 23.A | Convergence Time | 353 |
| | | |
| 24 | LMS with non-Gaussian Regressors | 357 |
| 24.1 | Mean and Variance Relations | 357 |

| | | |
|----------------------------------------------------|-------------------------------------------|------------|
| 24.2 | Mean-Square Stability and Performance | 360 |
| 24.3 | Small Step-Size Approximations | 362 |
| 24.A | Independence and Averaging Analysis | 363 |
| 25 | Data-Normalized Filters | 371 |
| 25.1 | NLMS Filter | 371 |
| 25.2 | Data-Normalized Filters | 374 |
| 25.A | Stability Bound | 377 |
| 25.B | Stability of NLMS | 378 |
| | Summary and Notes | 380 |
| | Problems and Computer Projects | 388 |
| <hr/> PART VI: BLOCK ADAPTIVE FILTERS <hr/> | | |
| 26 | Transform Domain Adaptive Filters | 413 |
| 26.1 | Transform-Domain Filters | 413 |
| 26.2 | DFT-Domain LMS | 421 |
| 26.3 | DCT-Domain LMS | 423 |
| 26.A | DCT-Transformed Regressors | 424 |
| 27 | Efficient Block Convolution | 426 |
| 27.1 | Motivation | 426 |
| 27.2 | Block Data Formulation | 428 |
| 27.3 | Block Convolution | 431 |
| 28 | Block and Subband Adaptive Filters | 440 |
| 28.1 | DFT Block Adaptive Filters | 440 |
| 28.2 | Subband Adaptive Filters | 447 |
| 28.A | Another Constrained DFT Block Filter | 453 |
| 28.B | Overlap-Add Block Adaptive Filters | 455 |
| | Summary and Notes | 465 |
| | Problems and Computer Projects | 468 |
| <hr/> PART VII: LEAST-SQUARES METHODS <hr/> | | |
| 29 | Least-Squares Criterion | 476 |
| 29.1 | Least-Squares Problem | 477 |
| 29.2 | Geometric Argument | 478 |
| 29.3 | Algebraic Arguments | 480 |
| 29.4 | Properties of Least-Squares Solution | 482 |
| 29.5 | Projection Matrices | 484 |

| | | |
|-----------|----------------------------------------------|------------|
| 29.6 | Weighted Least-Squares | 485 |
| 29.7 | Regularized Least-Squares | 487 |
| 29.8 | Weighted Regularized Least-Squares | 489 |
| 30 | Recursive Least-Squares | 492 |
| 30.1 | Motivation | 492 |
| 30.2 | RLS Algorithm | 493 |
| 30.3 | Regularization | 495 |
| 30.4 | Conversion Factor | 496 |
| 30.5 | Time-Update of the Minimum Cost | 497 |
| 30.6 | Exponentially-Weighted RLS Algorithm | 498 |
| 31 | Kalman Filtering and RLS | 501 |
| 31.1 | Equivalence in Linear Estimation | 501 |
| 31.2 | Kalman Filtering and Recursive Least-Squares | 502 |
| 31.A | Extended RLS Algorithms | 508 |
| 32 | Order and Time-Update Relations | 515 |
| 32.1 | Backward Order-Update Relations | 515 |
| 32.2 | Forward Order-Update Relations | 525 |
| 32.3 | Time-Update Relation | 529 |
| | Summary and Notes | 534 |
| | Problems and Computer Projects | 541 |

PART VIII: ARRAY ALGORITHMS

| | | |
|-----------|---------------------------------------|------------|
| 33 | Norm and Angle Preservation | 561 |
| 33.1 | Some Difficulties | 561 |
| 33.2 | Square-Root Factors | 562 |
| 33.3 | Preservation Properties | 564 |
| 33.4 | Motivation for Array Methods | 566 |
| 34 | Unitary Transformations | 571 |
| 34.1 | Givens Rotations | 571 |
| 34.2 | Householder Transformations | 576 |
| 35 | QR and Inverse QR Algorithms | 580 |
| 35.1 | Inverse QR Algorithm | 581 |
| 35.2 | QR Algorithm | 584 |
| 35.3 | Extended QR Algorithm | 588 |
| 35.A | Array Algorithms for Kalman Filtering | 589 |
| | Summary and Notes | 593 |

PART IX: FAST RLS ALGORITHMS

| | | |
|-----------|----------------------------------------|------------|
| 36 | Hyperbolic Rotations | 602 |
| 36.1 | Hyperbolic Givens Rotations | 602 |
| 36.2 | Hyperbolic Householder Transformations | 605 |
| 36.3 | Hyperbolic Basis Rotations | 608 |
| 37 | Fast Array Algorithm | 610 |
| 37.1 | Time-Update of the Gain Vector | 611 |
| 37.2 | Time-Update of the Conversion Factor | 612 |
| 37.3 | Initial Conditions | 613 |
| 37.4 | Array Algorithm | 614 |
| 37.A | Chandrasekhar Filter | 618 |
| 38 | Regularized Prediction Problems | 621 |
| 38.1 | Regularized Backward Prediction | 622 |
| 38.2 | Regularized Forward Prediction | 624 |
| 38.3 | Low-Rank Factorization | 627 |
| 39 | Fast Fixed-Order Filters | 628 |
| 39.1 | Fast Transversal Filter | 628 |
| 39.2 | FAEST Filter | 630 |
| 39.3 | Fast Kalman Filter | 631 |
| 39.4 | Stability Issues | 633 |
| | Summary and Notes | 639 |
| | Problems and Computer Projects | 642 |

PART X: LATTICE FILTERS

| | | |
|-----------|----------------------------------------|------------|
| 40 | Three Basic Estimation Problems | 653 |
| 40.1 | Motivation for Lattice Filters | 654 |
| 40.2 | Joint Process Estimation | 656 |
| 40.3 | Backward Estimation Problem | 659 |
| 40.4 | Forward Estimation Problem | 662 |
| 40.5 | Time and Order-Update Relations | 664 |
| 41 | Lattice Filter Algorithms | 669 |
| 41.1 | Significance of Data Structure | 669 |
| 41.2 | A Posteriori-Based Lattice Filter | 672 |

| | | |
|-----------|--------------------------------------------|------------|
| 41.3 | A Priori-Based Lattice Filter | 673 |
| 42 | Error-Feedback Lattice Filters | 676 |
| 42.1 | A Priori Error-Feedback Lattice Filter | 676 |
| 42.2 | A Posteriori Error-Feedback Lattice Filter | 680 |
| 42.3 | Normalized Lattice Filter | 682 |
| 43 | Array Lattice Filters | 688 |
| 43.1 | Order-Update of Output Estimation Errors | 689 |
| 43.2 | Order-Update of Backward Estimation Errors | 690 |
| 43.3 | Order-Update of Forward Estimation Errors | 691 |
| 43.4 | Significance of Data Structure | 693 |
| | Summary and Notes | 695 |
| | Problems and Computer Projects | 698 |

PART XI: ROBUST FILTERS

| | | |
|-----------|---------------------------------------|------------|
| 44 | Indefinite Least-Squares | 705 |
| 44.1 | Indefinite Least-Squares Formulation | 705 |
| 44.2 | Recursive Minimization Algorithm | 710 |
| 44.3 | Time-Update of the Minimum Cost | 713 |
| 44.4 | Singular Weighting Matrices | 714 |
| 44.A | Stationary Points | 716 |
| 44.B | Inertia Conditions | 716 |
| 45 | Robust Adaptive Filters | 718 |
| 45.1 | A Posteriori-Based Robust Filters | 718 |
| 45.2 | ϵ -NLMS Algorithm | 724 |
| 45.3 | A Priori-Based Robust Filters | 726 |
| 45.4 | LMS Algorithm | 730 |
| 45.A | \mathcal{H}^∞ Filters | 732 |
| 46 | Robustness Properties | 735 |
| 46.1 | Robustness of LMS | 735 |
| 46.2 | Robustness of ϵ -NLMS | 739 |
| 46.3 | Robustness of RLS | 740 |
| | Summary and Notes | 743 |
| | Problems and Computer Projects | 747 |

REFERENCES AND INDICES

| | |
|----------------------|------------|
| References | 758 |
| Author Index | 775 |
| Subject Index | 780 |